



MIAMI

LOS ANGELES

Corporate / Showroom

Showroom

2114 SW 60th Terrace

11817 Major Street

Miramar, FL 33023

Culver City, CA 90230

(305) 572-0707

(213) 293-8820

info@dayoris.com

california@dayoris.com

DAYORIS.COM

Core Values

At DAYORIS, our vision guides us through everything we do.

We obsess about the outcome of our efforts, while striving to achieve above and beyond the expected.

Our goal is for clients to benefit from our dedicated work and craftsmanship, while offering them the opportunity for a rewarding experience throughout the design process.

Our corporate initiative is to continuously reinforce relationships with our employees, our vendors, and our clients, while operating with integrity and honesty, and striving to live and work successfully within our community.



Green Initiative

At DAYORIS, our green initiative is a logical evolution, focused on eliminating waste, creating efficiency, while continuously contributing towards environmental sustainability.

Our mission is to operate with minimal environmental impact by offering green and LEED certified products and services whenever available.

DAYORIS has established itself as a leader in environmentally friendly products, such as low-VOC (Volatile Organic Compound) and Formaldehyde - free products.



The People



When a company's employees are as important as the company itself, you have built an exceptional team.

DAYORIS employees are dedicated and passionate team players. They bring energy, ideas, and pride to their work, and it shows. Our people are selected for their enthusiasm, as well as their desire to work with clients in the creative process. Our employees come to us from a variety of professional backgrounds and experiences, each with a unique skillset and area of expertise.

Together, they create a team greater than the sum of its parts.


Manufacturing and Development

At DAYORIS, we pride ourselves with being on the forefront of modern door and cabinetry design. Our staff is constantly involved in the performance of relevant, influential and visionary research geared towards the manufacturing and development of innovative door and furniture designs.

The trend today is smooth clean lines with minimal visual detail. DAYORIS has developed systems to manufacture and install oversized doors that operate with the ease of a standard sized door, while still concealing the necessary structural elements needed for the safe and smooth operation of a door this size.

When architects approach us with new and challenging ideas, DAYORIS embraces them and engineers the design. We manipulate the concept using state of the art drafting software, we then manufacture, and finally, it goes into the field for installation.

It is a well refined process.



Doors

Filo muro/

frameless, flush with the wall

Telaio/

with raised casing

Filo/

flush with casing

Ombra/

floating jamb with shadow reveal

Panel/

paneling and door application

DOOR SLAB SIZE : up to 6' x 12' (custom systems available for wider applications)

FRAMES : Frameless profile, Wood frame, Aluminum frame

FINISH : Primed, Laminated, Lacquer, Wood veneer

APPLICATIONS : Swing, Pocket, Sliding, Bypass, Bi-fold, Ghost, Barn

Pivot, Synchronized, Telescopic, Tri-fold



Filo muro/

frameless, flush with the wall

Available as:

Swing/
Pocket/
Bypass/
Pivot/
Euro system 1" doors/
Euro bifold 1" doors/
Ghost/
Barn/

Venturing beyond the limits of imagination, capable of surprising us once again, DAYORIS presents the Filo Muro/ collection. These doors lie flush with adjacent walls, while still opening into or out of the room. Both the flush In-Swing and the Flush Out-Swing models in the collection are manufactured with the slimmest Aluminum profile available on the market today. The doors are fitted with a CEAM Italia 3D adjustable concealed hinge system and European magnetic mortise.

The DAYORIS Filo Muro/ door profile represents Flush IN-Swing and Flush OUT-Swing technology and design at their finest.

Technical Specifications:
Solid Core Door Slab
Thickness from 1" to 1 3/4"
Finish – Designer's choice
Hinges – CEAM Italia 3D adjustable
Frame – Concealed aluminum
Handset – DAYORIS Italia
Mortise – Bonaiti Magnetic



Filo Muro/ Laminated or wood veneer finish



Filo Muro/ lacquer finish, pivot system

"I have always appreciated those who dare to experiment
with materials and proportions"
Zaha Hadid



Filo Muro/ primed finish, to match the wall

Reach new heights with DAYORIS frameless floor to ceiling doors.
The ultimate in minimalist design, these doors are installed without the traditional "header"
and maximize the opening to achieve the greatest open space possible.



Filo Muro/ lacquer finish, invisible hinge system




Filo Muro/ simple painted finish

An invisible, frameless door facilitates a continuous, uninterrupted, linear plane in the living space. This provides for the perfect canvas for fine art, custom wall treatments, and designer home décor.



Filo Muro/ Bi-fold system Lacquer finish

"To create something exceptional,
your mindset must be relentlessly focused
on the smallest detail"
Georgio Armani



Filo Muro/ Lacquer finish





Ghost/ Walnut finish



Barn/ Walnut finish

Filo muro/ swing door detail




WIDTH FORMULA:
 $A = B - 3 \frac{1}{2}''$




HEIGHT FORMULAS:
FLOOR TO HEADER: $D.H. = H - 2''$
FLOOR TO CEILING: $D.H. = H - 3 \frac{1}{8}''$

LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT

Filo muro/ swing door detail



Filo muro/ pivot door detail




AVAILABLE IN DOUBLE DOOR SETS:

WIDTH FORMULA:
 $A = B - 3 \frac{1}{2}"$

HEIGHT FORMULAS:
FLOOR TO HEADER: $D.H. = H - 2"$
FLOOR TO CEILING: $D.H. = H - 1/2"$


LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT
C = PIVOT OFFSET (3" MIN.)

Filo muro/ pocket door detail




WIDTH FORMULAS:
 $B = (A \times 2) + 2"$
 $A = (B - 2") / 2$

HEIGHT CONFIGURATIONS:




Filo muro/ bypass door detail




LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT

WIDTH FORMULA:
 $A = B / 2 + 3/4"$


HEIGHT FORMULA:
 $D.H. = H - 2 \frac{1}{4}"$



Filo muro/ euro and euro bi-fold door detail



Filo muro/ barn /ghost / sliding door detail



Telaio/ with raised casing

Available as:

Swing/
Pocket/
Bypass/
Pivot/
Euro system 1" doors/
Euro bifold 1" doors/

Traditional styling with a Contemporary profile, the DAYORIS Telaio/ provides contrast, emphasizing the shadow effect of a multi plane profile between casing and door. The clear and essential differentiating lines lend themselves towards the furnishing of most transitional environments.

Telaio is the evolution of an historical door profile that has evolved to include square, flat casings.

Adaptable to any wall thickness, the Telaio/ presents itself with completely finished wood casings and jamb.

This door profile is equipped with the CEAM Italia 3D adjustable hinge system and European magnetic mortise.

Technical Specifications:

Solid Core Door Slab

Thickness range – 1" to 1-3/4"

Finish – Designer's choice

Hinges – CEAM Italia 3D adjustable

Frame – Wood finished

Handset – DAYORIS Italia

Mortise – Bonaiti Magnetic





Telaio/ walnut finish



Telaio/ white gloss finish



Telaio/ swing door detail



HEIGHT:
FLOOR TO HEADER

LEGEND:

A = DOOR SIZE

B = ROUGH OPENING WIDTH

D.H. = DOOR HEIGHT

H = ROUGH OPENING / FINISHED HEIGHT


WIDTH FORMULA:

$$A = B - 2"$$


HEIGHT FORMULAS:

$$\text{FLOOR TO HEADER: D.H.} = H - 2"$$

Telaio/ swing door detail




Telaio/ pivot door detail




WIDTH FORMULA:
 $A = B - 3 \frac{1}{2}"$

HEIGHT FORMULAS:
 FLOOR TO HEADER: $D.H. = H - 2"$
 FLOOR TO CEILING: $D.H. = H - 1/2"$


Telaio/ euro and euro bi-fold door detail



Telaio/ pocket door detail



Telaio/ bypass door detail



Filo/

flush with casing

Available as:

Swing/
Pocket/
Bypass/
Pivot/
Euro system 1" doors/
Euro bifold 1" doors/

Old habits are hard to break. With the elegance of a coplanar design, door and casing, the DAYORIS Filo/ presents itself with the simplicity of a single flat plane that sits proud of the wall.

An alternative installation method for the Filo/ door is to install the door flush with the adjacent wall and have a reglet profile installed against the casing creating a shadow effect surrounding the door.

The Filo/ model comes with an adjustable wood jamb system that will accommodate any wall thickness.

The casing wraps the wall completely from the flush door side through the interior structural jamb, terminating with the casing on the inset side of the door. This door profile is equipped with the CEAM Italia 3D adjustable hinge system and Bonaiti Italian magnetic mortise

Technical Specifications:
Solid Core Door Slab
Thickness range – 1" to 1-3/4"
Finish – Designer's choice
Hinges – CEAM Italia 3D adjustable
Frame – Wood finished
Handset – DAYORIS Italia
Mortise – Bonaiti Magnetic



Filo/ white finish





Filo/ 2 tone Wenge



 DAYORIS
DOORS



Filo/ white matte lacquer

"Simplicity is the ultimate form of sophistication."
Leonardo da Vinci

Filo/ swing door detail




WIDTH FORMULA:
 $A = B - 3\frac{1}{2}"$



HEIGHT FORMULAS:
FLOOR TO HEADER: $D.H. = H - 2"$
FLOOR TO CEILING: $D.H. = H - 3/8"$

LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT

Filo/ swing door detail



Filo/ pivot door detail





WIDTH FORMULA:
 $A = B - 3\frac{1}{2}"$

HEIGHT FORMULAS:
FLOOR TO HEADER: $D.H. = H - 2"$
FLOOR TO CEILING: $D.H. = H - \frac{1}{2}"$

LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT
C = PIVOT OFFSET (3" MIN.)

Filo/ swing door detail with floating reveal (by other)




WIDTH FORMULA:
 $A = B - 3\frac{1}{2}"$

HEIGHT FORMULAS:
FLOOR TO HEADER: $D.H. = H - 2"$
FLOOR TO CEILING: $D.H. = H - \frac{3}{8}"$

LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT

Filo/ pocket door detail




WIDTH FORMULAS:


$B = (A \times 2) + 2"$

$A = (B - 2") / 2$

HEIGHT CONFIGURATIONS:




Filo/ bypass door detail








LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT

WIDTH FORMULA:
 $A = B / 2 + 3/4"$
HEIGHT FORMULA:
 $D.H. = H - 2 1/4"$



Filo/ euro and euro bi-fold door detail



LEGEND:
A = DOOR SIZE
B = ROUGH OPENING WIDTH
D.H. = DOOR HEIGHT
H = ROUGH OPENING / FINISHED HEIGHT

Ombra/

floating jamb with shadow reveal

Available as:

Swing/
Pocket/
Bypass/
Pivot/
Euro system 1" doors/
Euro bifold 1" doors/

The newest profile added to the DAYORIS line of custom doors, Ombra/ proudly displays an open jamb design incorporated in a multiplane door.

With the warmth of a wood jamb creating a shadow effect on its perimeter's edge, DAYORIS Ombra/ door presents itself as the perfect crossover from modernistic design to traditional architectural styling.


Adaptable to any wall thickness, Ombra/ can be installed either proud or flush with adjacent walls. The Ombra/ system can be installed using a variety of reglet reveal sizes affording the homeowner varying options to display the floating door jamb.

Ombra/ doors are manufactured using the Ceam 3D Italian Concealed Hinge System and the Bonaiti Magnetic mortise.


Technical Specifications:
Solid Core Door Slab
Thickness range - 1-3/4"
Finish - Designer's choice
Hinges - CEAM Italia 3D adjustable
Frame - Wood finished
Handset - DAYORIS Italia
Mortise - Bonaiti Magnetic




Ombra/ white matte lacquer



Ombra/ swing door detail





Ombra/ swing door detail



WIDTH
 $\text{DOOR WIDTH} = (\text{ROUGH} - 4") / 2$

Ombra/ pocket door detail



"The architect must imagine for each window, a person at the sill, for each door a person passing through"

Gio Ponti

Panel/

paneling and door application

DAYORIS has taken "doors flush with paneling" to a new level.

Our technicians have designed a door profile that enables a partner woodworker or millwork shop applying wall paneling to incorporate the same paneling finish to a DAYORIS Door while still maintaining a flush appearance with the adjoining wall. Doors can be delivered to the job-site prepared for contractors finishing, giving installers the opportunity to match these doors and hardware resulting in a consistent finish throughout the project.

Technical Specifications:

Solid Core Door Slab to be finished by Millworker

Thickness range – 1" to 1-3/4"


Finish – Primed

Hinges – CEAM Italia 3D adjustable

Frame – Aluminium

Handset – DAYORIS Italia

Mortise – Bonaiti Magnetic






Panel/ Brown Orleans Oak with 1/8" reveals





Panels/ Wenge with 1/2" stainless steel reveals and invisible door application



"Nothing is art if it does not come from nature."


Antoni Gaudi

Panel layout options


Reveal designs from 1/8" to 1/2" space

Finishes


Primed, Laminated, Lacquered, Veneered (custom finishes available)




FULL
HEIGHT



DOOR
HEIGHT



MIRRORED
HEIGHT




SPLIT
HEIGHT

Panel layout options


Reveal designs from 1/8" to 1/2" space

Finishes


Primed, Laminated, Lacquered, Veneered (custom finishes available)




REVERSED
HEIGHT



HARDWARE
HIGHLIGHT




BLOCKS



BLOCKS II

Door profiles




Swing/
Pocket/
Bypass/
Pivot/
Euro system 1" doors/
Euro bifold 1" doors/

- DOOR SLAB SIZE : up to 6' x 12' (custom systems available for wider applications)
- FRAMES : Frameless profile, Wood frame, Metal frame
- FINISH : Primed, Laminated, Lacquer, Wood veneer
- THICKNESS : 1" to 1-3/4"
- APPLICATIONS : Swing, Pocket, Sliding, Bypass, Bi-fold, Ghost, Barn
Pivot, Synchronyzed, Telescopic, Tri-fold




Designs

Reveal designs (available in 1/8" grooves or 1/2" aluminum inserts)



Glass designs (available in clear or laminated)



Hardware



ROUND SATIN



SQUARE SATIN



FLAT ROUND SATIN



TWIST SATIN



ROUND POLISHED



SQUARE POLISHED



FLAT ROUND POLISHED



TWIST POLISHED



ROUND BLACK



SQUARE BLACK

POCKET AND SLIDING DOOR HARDWARE
SATIN / POLISHED / BLACK



MAGNETIC LOCK

* If other hardware is specified, the magnetic lock is compatible with all major European brands (Valli & Valli, Olivari, Colombo, FSB...)




Finishes

- Primed Paint grade finish

- Laminated Finishes

- Matte Lacquer



Color match available


- Wood veneer Optional wire brush texture, Custom stain and lacquer




Laminated Suncrest



White Gloss



White Painted Wood NT



White Ash NT



Weathered Ash NT



Walnut Riftwood NT



Smoky Pear NT



Walnut NT



Millenium Oak NT



Macchiato Walnut NT



Fox Teakwood NT



Cherry Riftwood NT



Espresso Pear NT



Black Riftwood NT



Bleached Legno NT



Ebony NT

Laminated Egger



Black Havana Pine



Shorewood



Vicenza Oak



Grey-Beige Tossini Elm



Grey-Beige Gladstone Oak



Fineline Cream



Tobacco Gladstone Oak



White Havana Pine



Premium White



Stone Grey



Cashmere Grey



Diamond Grey



Pebble Grey

Laminated Import Finishes



Diamon



Vernice



Norey



Cherry/Quercia



Natur



White Matte

Optional upgrades

Vented options / louvers



vent 1



vent 2



vent 3

Automatic door bottom / Sound package



Pocket frame structure



Soft close / Soft open track system



Keyed cylinder



eugust smart lock

