

Panel/ paneling and door application

EURO DOORS FOR MILLWORK COORDINATION

(Paneling provided by others, using Dayoris laminated materials)



Types of Applications



What's included

Technical Specifications:

- Finish – Designer's choice
- Frame – Concealed aluminum
- Design – Designers Choice

Cabinet Knob




L Profile




Cabinet Style Hinge



Frame Profile Finishes



Clear Aluminum Frame



*

Black Aluminum Frame

* Profiles available in Black as on upgrade.

Filo muro/ euro door, header panel detail


Outswing Profile



ROUGH OPENING
HEIGHT =
DOOR HEIGHT + 3/4"


Outswing – Outswing Application

* Based on centered doors in the rough opening for inswing/ outswing application




Panel Layout Options

Full Height




Mirrored Height




PLEASE ACCOUNT FOR FINISHED FLOOR FOR ALL MEASUREMENTS GIVEN TO DAYORIS.

Panel Layout Options

Reversed Height



Blocks I




PLEASE ACCOUNT FOR FINISHED FLOOR FOR ALL MEASUREMENTS GIVEN TO DAYORIS.

Panel Layout Options


Door Height

EQ. AS POSSIBLE
REF. WALL / DOOR



Split Height


EQ. AS POSSIBLE
REF. WALL / DOOR




PLEASE ACCOUNT FOR FINISHED FLOOR FOR ALL MEASUREMENTS GIVEN TO DAYORIS.

Panel Layout Options

Hardware Highlight



Blocks II



PLEASE ACCOUNT FOR FINISHED FLOOR FOR ALL MEASUREMENTS GIVEN TO DAYORIS.