Ombra/ floating jamb with shadow reveal POCKET DOOR







Types of Applications



Finishes

Primed / Laminated Import

Laminated Suncrest / Matte Lacquer

Wood veneer

What's included

Technical Specifications: Solid Core Door Slab Finish – Designer's choice Handset – DAYORIS Italia Design – Designers Choice

Applications

Standard Application



Floor to Ceiling Application $\, \star \,$






1. Builders grade Pocket Frame Kit


Limited to Door size up to $3' \times 8'$

Usually provided by others, available from Dayoris as an optional upgrade. (for optimal use, Dayoris recommend option 2, framing with 2x6).




X = THE WALL CAN BE ANY THICKNESS ALL OPENINGS MUST HAVE WOOD SUPPORT (2×4 , 2×6 , 2×8 , ...)

1.a Standard Application with Builders Pocket Frame






1.b Floor to Ceiling Application with Builders Pocket Frame Kit






2. Pocket Frame with 2x6 and 1 5/8" Studs Structure (by others)

Recommended Application




2.a Standard Application with 2x6 Frame and 1 5/8" Studs






Ombra/ pocket door

1. Pocket Frame with 2x6 and 1 5/8" Studs Structure (by others)





2.b Floor to Ceiling Application with 2x6 and 1 5/8" Studs





Hardware

Pocket and Sliding Door Hardware

