


**Legno/** with raised casing

SWING DOOR



## Legno/ with raised casing



# Laminated Import - Lamitex



Rovere Ljubljana Tenue -1340



Noce - 1100



Rovere Arena -1341



Noce Grigio Argentato - 1124



Rovere Navona -1327




Rovere Cenere - 1326



Rovere Gessato Solchi V -1344



Noce Asia - 1121




White Matt -1006/1

# Types of Applications



## Finishes


Laminated Import



## What's included

Technical Specifications:  
 Solid Core Door Slab  
 Finish – Laminated Import Lamitex  
 Hinges – CEAM Italia 3D adjustable  
 Handset – DAYORIS Italia  
 Mortise – Bonaiti Magnetic  
 Design – Designers Choice


## Frame Profile



Adaptable Lip Casing




# Framing Instructions Legno/ with raised casing



**X = THE WALL CAN BE ANY THICKNESS**  
**ALL OPENINGS MUST HAVE WOOD SUPPORT ( 2" x 4", 2" x 6", 2" x 8", ... )**


## Standard Application




**PLEASE ACCOUNT FOR FINISHED FLOOR FOR ALL MEASUREMENTS GIVEN TO DAYORIS.**

# Benefits of Legno/ with raised casing

**Drywall Return**




**Any Wall Thickness**




## Door orientation

### In-swing application




### Out-swing application



## Floor Transition Detail

**Legno/** inswing floor transition 7/8" from interior drywall

Interior View



## Floor Transition Detail

**Legno/** outswing floor transition 7/8" from drywall

